



ERCIYES MEDICAL JOURNAL

Indexed in
Web of Science

Original Articles

Type 1 Pseudohypoaldosteronism
Sabriye Korkut et al.; Kayseri, Turkey

Bayley-III Scores of Children with CAKUT
Özlem Tezol et al.; Mersin, Turkey

Effects of Quercetin on Zone of Stasis
Erkan Orhan et al.; Tekirdağ, Gaziantep, Edirne, Turkey


Metabolic Risk Markers in OSAS
Işıl Çakır and Mustafa Uluhan et al.; Kayseri, Turkey

ECG in Leprosy
Ersin Yıldırım et al.; Elazığ, Turkey

^{99m}Tc-DMSA in Dynamic Renal Scans
Heba M Fahmy et al.; Cairo, Egypt

Chemoprotective Effect of Nanoceria
Fereshteh Talebpour Amiri et al.; Sari, Iran

Can Overweights Have More Oxidative Stress than
Obeses?
İbrahim Söğüt et al.; İstanbul, Turkey; Stockholm, Sweden



September 2018

Volume 40 | Issue 3

erciyesmedj.com



Editor in Chief

Mehmet DOĞANAY

*Department of Infectious Diseases and Clinical Microbiology,
Faculty of Medicine, Erciyes University, Kayseri, Turkey*

Editors

Niyazi ACER

*Department of Anatomy, Faculty of Medicine, Erciyes
University, Kayseri, Turkey*

Sibel AKIN

*Department of Geriatry, Internal Medicine, Faculty of
Medicine, Erciyes University, Kayseri, Turkey*

Hamiyet ALTUNTAŞ

*Department of Medical Biology, Erciyes University
Faculty of Medicine, Kayseri, Turkey*

Leslie BAİLLIE

*Department of Microbiology, Welsh School of
Pharmacy, Cardiff University, Cardiff, United Kingdom*

Felipe F. CASANUEVA

*Department of Medicine, Endocrinology Division, Santiago
de Compostela University, Complejo Hospitalario
Universitario de Santiago, Santiago de Compostela, Spain*

Gökçen DİNÇ

*Department of Microbiology, Faculty of Medicine,
Erciyes University, Kayseri, Turkey*

Mustafa Koray GÜMÜŞ

*Department of Ophthalmology, Erciyes University
Faculty of Medicine, Kayseri, Turkey*

Nihal HATİPOĞLU

*Division of Pediatric Endocrinology, Department of
Pediatrics, Erciyes University Faculty of Medicine,
Kayseri, Turkey*

Eman A. HELMY

*Department of Microbiology and Nano-Biotechnology,
AlAzhar University, Cairo, Egypt*

Darko KASTELAN

*Department of Internal Medicine-Endocrinology and
Metabolism, Zagreb, Croatia*

Ali KILIÇ

*Department of Surgery, Director of Microsurgical
training Lab, Division of Plastic Surgery, Ambulatory
Clinical Director, Plastic Surgery, University of Alabama
at Birmingham, USA*

Ainura KUTMANOVA

*Head of Department of Infectious Diseases,
International School of Medicine, Bishkek, Kyrgyz
Republic*

Züleyha Cihan ÖZDAMAR KARACA

*Department of Endocrinology, Internal Medicine,
Faculty of Medicine, Erciyes University, Kayseri, Turkey*

Contact

Address: Erciyes Üniv. Tıp Fakültesi Dekanlığı, Erciyes Tıp Dergisi Bürosu, 38039 Melikgazi, Kayseri, Turkey
Phone: +90 352 207 66 66 (23008) **Fax:** +90 352 437 52 85
E-mail: erciyesmedj@gmail.com

Deniz PEKER

*Department of Pathology, University of Alabama,
Birmingham, Alabama, USA*

Jordi RELLO

*Centro de Investigación Biomédica en Red (CIBERES),
Vall d'Hebron Hospital Campus, Barcelona, Spain*

Jafar SOLTANI

*Infectious Diseases Unit, Department of Pediatrics,
Faculty of Medicine, Kurdistan University of Medical
Sciences, Sanandaj, Iran*

Mehmet İlhan ŞAHİN

*Department of Otolaryngology, Faculty of Medicine,
Erciyes University, Kayseri, Turkey*

Ekrem ÜNAL

*Department of Child Health and Diseases, Division of
Hematology, Faculty of Medicine, Erciyes University,
Kayseri, Turkey*

Amer ZEİDAN

*Section of Hematology, Department of Internal
Medicine, Yale University, New Haven, USA*

Statistical Editor

Ahmet ÖZTÜRK

*Department of Biostatistics, Erciyes University Faculty
of Medicine, Kayseri, Turkey*

Gökmen ZARARSIZ

*Department of Biostatistics, Faculty of Medicine,
Erciyes University, Kayseri, Turkey*

Former Editors

Bedri KANDEMİR

Retired Professor, Ondokuz Mayıs University, Samsun, Turkey

Eyüp S. KARAKAŞ

Retired Professor, Erciyes University, Kayseri, Turkey

Salih ÖZGÖÇMEN

Retired Professor, Erciyes University, Kayseri, Turkey

Aydın PAŞAOĞLU

Retired Professor, Gazi University, Ankara, Turkey

M. Hakan POYRAZOĞLU

*Dean, Faculty of Medicine, Erciyes University, Kayseri,
Turkey*

Cem SÜER

*Department of Physiology, Faculty of Medicine,
Erciyes University, Kayseri, Turkey*

Zeki YILMAZ

*Department of General Surgery, Faculty of Medicine,
Erciyes University, Kayseri, Turkey*

Editorial Office Staff

Şerife SERİM

Emel TORUN



Publisher

İbrahim KARA

Publication Director

Ali ŞAHİN

Finance and Administration

Zeynep YAKIŞIRER

Deputy Publication Director

Gökhan ÇİMEN

Editorial Development

Gizem KAYAN

Publication Coordinators

Betül ÇİMEN

Özlem ÇAKMAK

Okan AYDOĞAN

İrem DELİÇAY

Büşra PARMAKSIZ

Nergis KALKAN

Arzu YILDIRIM

Project Assistants

Ecener ASLİM

Neslihan KÖKSAL

Cansu ASLAN

Graphics Department

Ünal ÖZER

Deniz DURAN

Contact

Address:

Büyükdere Cad.

No: 105/9 34394 Mecidiyeköy,

Şişli-İstanbul

Phone: +90 212 217 17 00

Fax: +90 212 217 22 92

E-mail: info@avesyayincilik.com



International Editorial Board

Ramin ABİRİ - *Department of Medical Microbiology School of Medicine, Kermanshah University of Medical Sciences, Kermanshah, Iran*

Turgut ALKIBAY - *Department of Urology, Faculty of Medicine, Gazi University, Ankara, Turkey*

Mustafa ARICI - *Department of Internal Medicine, Division of Nephrology, Faculty of Medicine, Hacettepe University, Ankara, Turkey*

Saadet ARSAN - *Department of Child Health and Diseases, Division of Neonatology, Faculty of Medicine, Ankara University, Ankara, Turkey*

Semra ATALAY - *Department of Child Health and Diseases, Division of Cardiology, Faculty of Medicine, Ankara University, Ankara, Turkey*

İlknur BOSTANCI - *Department of Pediatric Immunology and Allergy, Dr. Sami Ulus Obstetrics and Gynecology, Child Health and Diseases Hospital, Ankara, Turkey*

Mehtap BULUT - *Department of Emergency Medicine, Faculty of Medicine, Medipol University, İstanbul, Turkey*

H. Dwight CAVANAGH - *Department of Ophthalmology, Ut Southwestern Medical Center, Dallas, Texas, USA*

William A. COETZEE - *Director of Research Departments of Pediatrics, Neuroscience and Physiology and Biochemistry and Molecular Pharmacology, New York University, Langone Medical Center, New York, NY, USA*

Meltem ÇÖL - *Department of Public Health, Faculty of Medicine, Ankara University, Ankara, Turkey*

Hüseyin DİNDAR - *Department of Pediatric Surgery, Faculty of Medicine, Ankara University, Ankara, Turkey*

Şükrü EMRE - *Section of Transplantation and Immunology, Yale-New Haven Transplantation Center Department of Surgery, Yale University Faculty of Medicine, New Haven, USA*

Massimo FILIPPI - *Neuroimaging Research Unit, Institute of Experimental Neurology, and Department of Neurology, San Raffaele Scientific Institute, Vita-Salute San Raffaele University, Milan, Italy*

Ramazan İDİLMAN - *Department of Internal Medicine, Division of Gastroenterology, Faculty of Medicine, Ankara University, Ankara, Turkey*

Erkan İRİZ - *Department of Cardiovascular Surgery, Faculty of Medicine, Gazi University, Ankara, Turkey*

Ellen C. JANTZEN - *The Children's Hospital of Philadelphia, Philadelphia, PA, USA*

Selçuk KIRLI - *Department of Psychiatry, Faculty of Medicine, Uludağ University, Bursa, Turkey*

Ülker KOÇAK - *Department of Child Health and Diseases, Division of Hematology, Faculty of Medicine, Gazi University, Ankara, Turkey*

Petek KORKUSUZ - *Department of Histology and Embryology, Faculty of Medicine, Hacettepe University, Ankara, Turkey*

Arif KÖKÇÜ - *Department of Obstetrics and Gynecology, Faculty of Medicine, Ondokuz Mayıs University, Samsun, Turkey*

Sholpan KULZHANOVA - *Department of Infectious Diseases, Medical University Astana, Astana, Kazakhstan*

Yat Yin LAM - *Division of Cardiology, Department of Medicine and Therapeutics, Chinese University of Hong Kong, Hong Kong, PRC*

Douglas J. MATHISEN - *Division of Thoracic Surgery, Cardiothoracic Surgery, Boston: Massachusetts General Hospital, USA*

Tansu MERTOL - *Saudi Arabia Dammam University King Fahd Hospital, Dammam, KSA*

Muzaffer METINTAŞ - *Department of Chest Diseases, Faculty of Medicine, Osmangazi University, Eskişehir, Turkey*

Vildan MULLIN - *Division of Pain Management, Tallahassee Neurological Clinic, Tallahassee, FL, USA*

Rüstem NURTEN - *Department of Biophysics, Faculty of Medicine, İstanbul University, İstanbul, Turkey*

Ertuğrul ÖZBUDAK - *Department of Genetics Albert Einstein College of Medicine Yeshiva University, New York, NY, USA*

Levent ÖZÇAKAR - *Department of Physical Medicine and Rehabilitation, Faculty of Medicine, Hacettepe University, Ankara, Turkey*

Hakan ÖZDOĞU - *Department of Internal Medicine, Division of Hematology, Dr. Turgut Noyan Research and Training Centre, Başkent University, Adana, Turkey*

Mehmet Akif ÖZTÜRK - *Department of Internal Medicine, Division of Rheumatology, Faculty of Medicine, Gazi University, Ankara, Turkey*

Gökhan ÖZYİĞİT - *Department of Radiation Oncology, Faculty of Medicine, Hacettepe University, Ankara, Turkey*

Hatice PAŞAOĞLU - *Department of Biochemistry, Faculty of Medicine, Gazi University, Ankara, Turkey*

Bartu SARISÖZEN - *Department of Orthopedics and Traumatology, Faculty of Medicine, Uludağ University, Bursa, Turkey*

Salih ŞANLIOĞLU - *Department of Medical Biology and Genetics, Faculty of Medicine, Akdeniz University, Antalya, Turkey*

Haluk TOPALOĞLU - *Department of Child Health and Diseases, Division of Neurology, Faculty of Medicine, Hacettepe University, Ankara, Turkey*

Mehmet UNGAN - *Department of Family Medicine, Faculty of Medicine, Ankara University, Ankara, Turkey*

Ata Nevzat YALÇIN - *Department of Infection Diseases, Faculty of Medicine, Akdeniz University, Antalya, Turkey*

Bekir YAŞAR - *Department of General Surgery, Faculty of Medicine, Osmangazi University, Eskişehir, Turkey*

Ömer YERCI - *Department of Pathology, Faculty of Medicine, Uludağ University, Bursa, Turkey*

Okan Bülent YILDIZ - *Department of Internal Medicine, Division of Endocrinology and Metabolism, Faculty of Medicine, Hacettepe University, Ankara, Turkey*

Bayram YILMAZ - *Department of Physiology, Faculty of Medicine, Yeditepe University, İstanbul, Turkey*

Mehmet ZARIFOĞLU - *Department of Neurology, Faculty of Medicine, Uludağ University, Bursa, Turkey*

Fidel ZAVALA - *Department of Molecular Microbiology and Immunology, Bloomberg Faculty of Public Health, Johns Hopkins University, Baltimore, MD, USA*



Aims and Scope

Erciyes Medical Journal is an independent, unbiased, international, double-blind peer-reviewed, open access journal published in English. The journal, which has been in continuous publication since 1978, is published four times per year in March, June, September and December.

The journal accepts clinical and experimental research articles in different fields of medicine, original case reports, letters to the editor and invited reviews for publication. Research articles and case reports on regionally frequent and specific medical topics are prioritized. Manuscripts on national and international scientific meetings and symposiums and manuscripts sharing scientific correspondence and scientific knowledge between authors and their readers are also published.

Erciyes Medical Journal is funded by the Erciyes University Medical Faculty. The content of the journal, including full text articles, is available online at www.erciyesmedj.com free of charge. Authors are not required to pay for evaluation and publication of their manuscripts; however a payment is required for publication of coloured images within a manuscript.

At all the stages from submission to publication, the Erciyes Medical Journal acts in accordance with the standards outlined by the International Committee of Medical Journal Editors (ICMJE), World Association of Medical Editors (WAME), Council of Science Editors (CSE), European Association of Science Editors (EASE) and Committee on Publication Ethics (COPE). The Erciyes Medical Journal is indexed in Web of Science-Emerging Sources Citation Index, TUBITAK ULAKBIM TR Index, Embase, Scopus, DOAJ, HINARI, EBSCO and ProQuest.

Instructions for authors are available online at www.erciyesmedj.com and in the printed version of the journal. Statements or opinions expressed in the manuscripts published in Erciyes Medical Journal reflect the views of the author(s); the editors, editorial board and publisher disclaim any responsibility or liability for such materials. Erciyes Medical Journal

OPEN  ACCESS



is printed on acid-free paper.

Contact

Editor in Chief: Prof. Mehmet DOĞANAY

Address: Erciyes Üniversitesi Tıp Fakültesi Dekanlığı, Erciyes Tıp Dergisi Bürosu, Melikgazi, Kayseri, Turkey

Phone: +90 352 207 66 66/23008

Fax: +90 352 437 52 85

E-mail: erciyesmedj@gmail.com

Web page: erciyesmedj.com

Publisher: AVES

Address: Büyükdere cad. 105/9 34394 Mecidiyeköy, Şişli, İstanbul, Türkiye

Phone: +90 212 217 17 00

Fax: +90 212 217 22 92

E-mail: info@avesyayincilik.com

Web page: erciyesmedj.com



Information for the Authors

Erciyes Medical Journal is published by Erciyes University Medical Faculty which implements the double-blind peer review process. The journal publishes research articles on clinical and experimental subjects from all fields of medicine, review articles on up-to-date topics, letters to the editor, manuscripts on historical progress of general medicine and diseases and content on scientific research and ethical problems. The publication language is English. Only online article submissions are accepted (www.erciyesmedj.com).

The basic qualities expected from a manuscript during evaluation processes for the acceptance to publication are; the originality and the contribution to the international scientific literature and to the continuing medical education.

Responsibility for the data, opinions and statements of published articles belong to the author(s), and the Editors, Editorial Board, Publisher and Erciyes University Medical Faculty disclaim any responsibility on these issues.

It is essential for a submitted article to be non-previously published in any other printed or electronic media. Submission of previous reviewer reports is mandatory for articles which have previously been submitted for publication in another journal and rejected. This practice will shorten the evaluation process of the article. If a submitted manuscript has previously been presented at any meeting, the name, date and city in which the meeting was held should be stated or it should be mentioned whether a submitted manuscript is preliminary study or part of a thesis.

The author(s) should transfer all their local and international copyrights of their submitted article to Erciyes University Medical Faculty and the Copyright Transfer Form should be signed by all author contribution form. The original copy of the form should be posted to the editorial office of the journal. Author(s) are considered to accept that they cannot publish their article in any other language or media and cannot authorize a third party to do so without the written permission of the editorial office.

Any form of text, image or reference used within the article is the responsibility of the author(s). It is their responsibility to acquire local or/and international copyright permissions of tables, figures and other images used in their manuscript. The author will be responsible for any losses that the journal may incur as a result of these issues.

Rejected manuscripts will not be returned to the author.

The format of submitted manuscripts should be appropriate to the guidelines stated in *ICMJE-Recommendations for the Conduct, Reporting, Editing and Publication of Scholarly Work in Medical Journals (updated in December 2017 - <http://www.icmje.org/icmje-recommendations.pdf>)*. The most up-to-date version of the guide in question is available at www.icmje.org. Manuscripts should be written in "MS Word" program in the "Times New Roman 11 Points"; double-spaced and justified. Page format should be A4 size; with spaces of "2.5 cm" on the right, the left, the top and the bottom.

CONSORT guidelines for randomized studies, STROBE guidelines for observational studies, STARD for diagnostic studies, PRISMA for systematic reviews and meta-analysis, ARRIVE for animal experimental studies and TREND for non-randomized behavioral and public health intervention studies, should be taken into consideration.

In order to clarify the subjects of scientific contributions, responsibilities and conflicts of interest on the article, all authors should sign and send the Authorship Contribution Form and ICMJE Form for Disclosure of Potential Conflicts of Interest to the Editorial Office. Practices of the journal on this subject are in accordance with the rules of the International Committee of Medical Journal Editors (ICMJE) and Council of Science Editors (CSE).

The Editorial Office inspects all submitted manuscripts concerning plagiarism and duplication. If an ethical problem is detected, the editorial office will act according to the Committee on Publication Ethics (COPE) guidelines.

The authors should acknowledge and provide information on grants or other financial interests or affiliations with institutions, organizations, or companies relevant to the manuscript.

An Ethics Committee Report, prepared in accordance with "Guide for the Care and Use of Laboratory Animals" of the Helsinki Declaration prepared by the World Medical Association (WMA), is required for experimental, clinical and drug studies and some case reports. The Editorial Office may request the report of the ethics committee or an equivalent official document from the authors if found necessary. Manuscripts reporting results of experimental studies practiced on volunteers and patients should include a patient and volunteer consent statement after explaining the procedure(s) thoroughly. For animal experimental studies, measures taken to reduce pain and discomfort should be clearly stated.

Manuscripts submitted for publication should be written in English. Manuscripts submitted in other languages will be rejected.

Editors inspect whether a submitted manuscript is prepared in accordance with the journal's manuscript preparation rules before assigning the manuscript to reviewers. Manuscripts which are not written in accordance with the journal's manuscript preparation rules will not be evaluated. 21 days are allocated for reviewer evaluations and, if any corrections are required, 28 days are allocated for the author to implement the requested corrections.

All manuscripts will pass through a pre-evaluation process by the Editors and Associate Editors in the first stage of submission. Subsequently, manuscripts are assigned to at least two reviewers for



evaluation. Reviewers are selected among external and independent specialists who also have publications in international literature in the same field. Research articles, systematic review articles and meta-analysis manuscripts will be checked by the statistical editor in addition to the assigned reviewers. All manuscripts are also checked for English grammatical and manuscript preparation rules.

Any retraction requests of manuscripts close to the final decision, without reasonable explanation, will be rejected. All authors of a manuscript accepted for publication should consent that editors could make corrections without changing the basic meaning of the text of the manuscript written.

The written files should be prepared in the Microsoft Word program. The Online Paper Acceptance and Evaluation System will be transferred to the authors at all stages and sending of the paper will be accomplished as rapidly and safely as possible. The paper files should be structured according to their types as follows:

Research article

The manuscript title should be stated first. A structured abstract of the article including Objective, Materials and Methods, Results and Conclusion sub-headings should be given below the title. Maximum total word count of the abstracts should be 250. At least 3, at most 6, keywords concordant with MeSH vocabulary terms prepared by the National Library of Medicine (NLM) should be included in each research article. Title, abstract and keywords should be written in English languages. The main text should include Introduction, Materials and Methods (with sub-headings), Results, Discussion, Study Limitations, Conclusion, References, Tables-Figures-Images sections and it should not exceed 5000 words. A maximum of 50 references is sufficient regarding acceptability.

Statistical analysis should be performed in accordance with guidelines on reporting statistics in Medical journals (Altman DG, Gore SM, Gardner MJ, Pocock SJ. Statistical guidelines for contributors to medical journals. *Br Med J* 1983; 7(6376): 1489-93.). The software used for statistical analysis should be described. When parametric tests are used for comparison of continuous variables, they should be presented as Mean±Standard Deviation or Mean±Standard Error, while for nonparametric tests, data should be presented as Median and range (Minimum- Maximum) or Median and interquartile range (25th and 75th percentiles). Whenever complex analyses are used, the relative risk (RR, relative risk) odds (OR, odds ratio) and hazard ratios values (HR, hazard ratio) should be supported by providing confidence intervals and p values.

Brief Reports

Brief reports convey a focused message. Case series are also considered as Brief Reports. Brief reports are restricted to a maximum of 1500 words; no more than 1 tables and 3 figures; and 10-12 references. They should contain an unstructured abstract up to 150 words and structured text as Introduction, Methods, Results, and Discussion.

Review article

Review articles are accepted by invitation only. Manuscripts prepared by experts who have extensive knowledge in the field and whose knowledge has been projected to the literature as publications and citations will be evaluated. Review articles should be prepared concerning the latest clinical progress on a piece of information or a subject in a format which explains, discusses, evaluates and guides future studies. Review articles should include a title and an unstructured abstract of a maximum 250 words. At least 3, at most 6 keywords, concordant with MeSH vocabulary terms prepared by the National Library of Medicine (NLM) should be included. Title, abstract and keywords should be written in English languages. With regard to the content of the manuscript, sub-headed main-text, references and tables-figures-images should be included. Total word count of a review article should not exceed 5000.

Case Report

Our journal reserves a limited space for case reports. Only interesting and informative case reports which are about rare diseases which are difficult to diagnose and treat or which suggest a new method, or include new information which cannot be found in the literature, will be published. A title and an unstructured abstract of maximum 200 words should be included in each case report. At least 3, at most 6, keywords concordant with MeSH vocabulary terms prepared by the National Library of Medicine (NLM) should be included. Title, abstract and keywords should be written in English languages. The main text should include Introduction, Case Report, Discussion, Conclusion, References and Tables-Figures-Images sections. Total word count should not exceed 1500. Case reports should not include more than 10 references.

Image

Original, high-quality clinical or laboratory images will be considered for publication. This material has been submitted or published elsewhere. If a photo of an identifiable patient is used, a specific release form must be completed and signed by the patient and enclosed to the submission. All the printed information that might identify the patient or the authors' institution (including but not limited to the hospital or patient name, date or place) should be removed from the images.

Editorial Comment

Editorial Comments should include short discussion and presentation of a research article published in the journal. Editorials are written by the distinguished authors in the field who is invited by the editors. Editorials should be written in English with a maximum of 1500 words and 25 references.

Letter to the Editor

This type of manuscript discusses the importance, missing parts or an overlooked structure of a previously published article. Authors can also submit their comments to the editor on a subject which may be in the reader's field of interest especially on educational cases, in the Letter to the Editor form.



Maximum reference number is 10 and no titles of sub-headings are required. A Letter to the Editor should not exceed 1000 words. Volume, year, issue, page numbers, title and author names of the article mentioned in a Letter to the Editor should be stated clearly.

Author names, institution details and contact details, should not be included in the submitted document. These details should be filled in the relevant sections in the online manuscript submission system. All tables, figures, graphs and images should be visibly numbered within the article text and patient, physicians and institution names should be blinded. For microscopic figures, in addition to explanatory information, zoom levels and coloring techniques should also be stated. Line drawings should be done in a professional manner and, in pictures showing a patient's face, patient name and eyes should be covered so that the identity of the patient is not revealed. All images should be in high resolution at minimum 300 dpi. Lines with sufficient thickness should be used in graphs, thus preventing possible losses if resizing is necessary. Widths of images should be either 9 or 18 cm. Line drawings prepared by professionals are more appropriate. Gray tones should not be used in figures. Used abbreviations should be explained below each image in alphabetical order. Roman numerals should not be used in table and figure headings and sub-texts. Roman numerals should be avoided while numbering the Tables and Figures, or while identifying the tables in the text. Decimal fractions in the text, tables and figures should be separated by decimal points in sections in English and commas in sections in Turkish. In particular, tables should be explanatory for the text and should not duplicate the data given in the text.

References should be numbered in the order of citation in the main text (Vancouver style). Only published studies or studies accepted for publication should be cited. Abbreviations of journal titles should be done in accordance with journal abbreviations used in Index Medicus. For publications with 6 or fewer authors, a list of all authors is required, for publications with 7 or more authors, the first 6 authors should be listed, followed by "et al". Reference styles and punctuations should be in accordance with the examples below.

Periodicals: Mackness MI, Mackness B, Durrington PN, Fogelman AM, Berliner J, Lusic AJ, et al. Paraoxonase and coronary heart disease. *Curr Opin Lipidol* 1998; 9(2): 319-24.

Book chapters: Gary B. Green Peter M. Hill Approach To Chest Pain. In Judith E. Tintinalli, MD, MS, Editor. *Emergency Medicine*. 6th ed. New York: McGraw-Hill; 2004.p.333-43.

Personal author(s): Cohn PF. Silent myocardial ischemia and infarction. 3rd ed. New York: Marcel Dekker; 1993. Editor(s) as author(s): Norman IJ, Redfern SJ, editors. *Mental health care for elderly people*. New York: Churchill Livingstone; 1996.

Article presented in a meeting: Bengissoon S. Sothemin BG. Enforcement of data protection, privacy and security in medical informatics. In: Lun KC, Degoulet P, Piemme TE, Rienhoff O, editors. *MEDINFO 92. Proceedings of the 7th World Congress on Medical Informatics*; 1992 Sept 6-10; Geneva, Switzerland. Amsterdam: North-Holland; 1992.p.1561-5.

Scientific or technical reports: Smith P. Golladay K. Payment for durable medical equipment billed during skilled nursing facility stays. Final report. Dallas (TX) Dept. of Health and Human Services (US). Office of Evaluation and

Inspections: 1994 Oct. Report No: HHSIGOE 169200860.

Dissertation: Kaplan SI. Post-hospital home health care: the elderly access and utilization (dissertation). St. Louis (MO): Washington Univ. 1995.

Articles in electronic formats: Morse SS. Factors in the emergence of infectious diseases. *Emerg Infect Dis* (serial online) 1995 Jan-Mar (cited 1996 June 5): 1(1): (24 screens). Available from: URL: [http:// www.cdc.gov/ncidod/EID/ cid.htm](http://www.cdc.gov/ncidod/EID/cid.htm).

Extensive information on manuscript submission and evaluation process is available at www.erciyesmedj.com. The Editorial Office or the Publisher can be contacted for further questions using the contact details below.

Editorial Office: Prof. Mehmet DOĞANAY

Address: Erciyes Üniversitesi Tıp Fakültesi Dekanlığı, Erciyes Tıp Dergisi Bürosu, Melikgazi, Kayseri, Turkey

Phone: +90 352 207 66 66/23008

Fax: +90 352 437 52 85

E-mail: erciyesmedj@gmail.com

Publisher: AVES

Address: Büyükdere cad. 105/9 34394 Mecidiyeköy, Şişli, İstanbul, Turkey

Phone: +90 212 217 17 00

Fax: +90 212 217 22 92

E-mail: info@avesyayincilik.com



Original Articles

- 113 Clinical Course and Follow-Up of Type 1 Pseudohypoaldosteronism
Sabriye Korkut, Leyla Akın, Nihal Hatipoğlu, Ahmet Özdemir, Levent Korkmaz, Mustafa Kendirci, Ruhan Düşünsel, Tamer Güneş, Mehmet Adnan Öztürk, Selim Kurtoğlu, Kayseri, Turkey
- 120 Bayley- III Scores of Children with Congenital Anomalies of the Kidney and Urinary Tract
Özlem Tezol, Khatuna Makharoblidze, Olgu Hallıoğlu, Ali Delibaş, Merve Türkegün, Mersin, Turkey
- 125 Beneficial Effects of Quercetin on the Zone of Stasis in an Experimental Burn Model
Erkan Orhan, Ertan Şahin, Melike Sapmaz Metin, Yeter Topçu Tarladaçalışır, Tekirdağ, Gaziantep, Edirne, Turkey
- 131 Evaluation of Metabolic Risk Markers: Calcium/Magnesium Ratio, Lipoproteins and Insulin Resistance in Patients with Obstructive Sleep Apnea Syndrome
Işıl Çakır, Mustafa Uluhan, Kayseri, Turkey
- 136 Electrocardiographic Findings of Leprosy
Ersin Yıldırım, Özlem Secen, Betül Demir, Mehmet Nail Bilen, Elazığ, Turkey
- 140 Evaluation of the Efficiency of ^{99m}Tc-DMSA as a Radiopharmaceutical in Dynamic Renal Scans
Heba M Fahmy, Hossam M Yassin, Islam M Muhamed, Samar E Mohamed, Shimaa S Hassan, Cairo, Egypt
- 148 Anti-apoptotic and Antioxidant Effect of Cerium Oxide Nanoparticles on Cyclophosphamide-Induced Hepatotoxicity
Fereshteh Talebpour Amiri, Maedeh Hamzeh, Saeed Yaghubi Beklar, Seyed Jalal Hosseinimehr, Sari, Iran
- 155 Evaluation of Oxidative Stress and Thiol-Disulfide Parameters According to the Body Mass Index in Adult Individuals
Ibrahim Söğüt, Almıla Senat Aydın, Emel Sağlam Gökmen, Palmet Gün Atak, Özcan Erel, Uzey Görmüş DeGrigo, İstanbul, Ankara, Turkey; Stockholm, Sweden
- 162 Double Right Coronary Artery from Single Ostia
Hossein Doustkami, Afshin Habibzadeh, Ardabil, Iran
- 164 Co-existence of Goldenhar and Klinefelter Syndromes in a Patient Born Following ICSI
Selcan Zeybek, Bilge Sarkepe, Gülseren Bağcı, Erkan Alataş, Füsün Düzcan, Adana, Denizli, İzmir, Turkey
- 166 Anicteric Leptospirosis: A Frequently Forgotten Disease
Cihan Bedel, Ertan Ararat, Antalya, Uşak, Turkey
- 169 3-Hydroxy-3-methylglutaryl-CoA (HMG-CoA) Lyase Deficiency
Pembe Soylu Üstkoyuncu, Mustafa Kendirci, Songül Gökay, Fatih Kardaş, Kayseri, Turkey
- 172 Persistent Left Superior Vena Cava and Left Sided Inferior Vena Cava Coincidence with Coronary Sinus Aneurysm: A Surprise on Transient Cardiac Pacemaker Implantation
Emre Özdemir, Selcen Yakar Tülüce, Sadık Volkan Emren, Cem Nazlı, Mehmet Tokaç, İzmir, Turkey